



John P. McLaughlin, D.O., F.A.C.G., F.A.C.P.
Kevin C. Westra, D.O., A.G.A.F., F.A.C.P.
Michael A. Veluona, M.D.
Cortni J.T. Brooks, M.D.
Aaron J. Reiprich, D.O.

Michelle R. Kostelac, MPAS, PA-C
Lisa C. Brenize, MSPAS, PA-C
Miranda J. Felty, MPAS, PA-C

DIRECTIONS FOR MEDICATIONS

NAME: _____ PROCEDURE: COLONOSCOPY/EGD

PATIENT HAS: _____ Pacemaker _____ Defibrillator

BLOOD THINNERS:

Blood thinners must be stopped as directed prior to your procedure.

____ Pradaxa - **STOP 3 days prior**

____ Coumadin, Plavix, and Effient - **STOP 5 days prior**

____ Iron - **STOP 3 days prior**

DIABETIC MEDICATIONS:

____ Insulin dependent: For Colonoscopy take half of your dose on the day of preparation and no insulin morning of procedure.

For EGD take no insulin morning of procedure.

____ Oral Diabetic medications (pills):

For Colonoscopy do not take these the day of the preparation or the morning of the procedure.

For EGD do not take the morning of the procedure.

THE FOLLOWING MEDICATIONS MUST BE TAKEN THE MORNING OF THE PROCEDURE WITH A SMALL SIP OF WATER ONLY:

Blood Pressure, Heart, Seizure, Thyroid, Anti-Anxiety, Pain (pain patches can be left on), Asthma Inhalers, Parkinson medication, Reglan (that is taken on a daily basis).

Signature of patient

Date

We reserve the right to cancel a procedure if medications are not taken as directed, if food or drink is consumed the day of procedure or if there is not a responsible party to drive the patient home.